



NEW
S
stainless steel



LOCKS

2



Cut out




CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.526.001	Housing	Stainless steel
	Blocade	ZAMAK5

NEW


Cut out

Note: Includes 1 pair of keys
Lock sold with cylinder

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.544.001	Housing	Stainless steel
	Handle	






Cut out

	Cam 1 pkt	Cam 2 pkt	Cam 3 pkt
H	GH=12,5		
2	601	621	631
3,5	602	622	632
6,5	603	623	633
9,5	604	624	634
12,5	605	625	635
15,5	606	626	636
18,5	607	627	637
21,5	608	628	638

Tab. The cam codes to order

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.608.001	Housing	Polyamide
	Cam	Steel zinc plated





Cut out

	Cam 1 pkt	Cam 2 pkt	Cam 3 pkt
H	GH=12,5		
2	601	621	631
3,5	602	622	632
6,5	603	623	633
9,5	604	624	634
12,5	605	625	635
15,5	606	626	636
18,5	607	627	637
21,5	608	628	638

Tab. The cam codes to order


CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.609.001	Housing	Polyamide
	Cam	Steel zinc plated

* possibility to order in another dimension






	Cam 1 pkt	Cam 2 pkt	Cam 3 pkt
H	GH=12,8	GH=12,5	GH=12,8
2	601	621	631
3,5	602	622	632
6,5	603	623	633
9,5	604	624	634
12,5	605	625	635
15,5	606	626	636
18,5	607	627	637
21,5	608	628	638

Tab.1 The cam codes to order




Cut out

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.606.001	Housing	Polyamide
	Handle	ZAMAK5
	Cam	Steel zinc plated



	Cam 1 pkt	Cam 2 pkt	Cam 3 pkt
H	GH=21,7	GH=21,5	GH=21,7
11,2	601	621	631
12,7	602	622	632
15,7	603	623	633
18,7	604	624	634
21,7	605	625	635
24,7	606	626	636
27,7	607	627	637
30,7	608	628	638

Tab.1 The cam codes to order



Cut out


CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.607.001	Housing	Polyamide
	Handle	ZAMAK5
	Cam	Steel zinc plated

* possibility to order in another dimension

www.roztocze-rst.com.pl




NEW

2.533.101

2.533.001






CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.533.001	RAL 9005	Housing	ZAMAK 5
2.533.101*			

* lock with patent insert






* By ordering specify the size H lock cam.

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.604.001	Housing, handle	Polyamide
	Cam	Stainless steel




CATALOGUE NUMBER	COMPONENTS	MATERIAL
RS 050	Housing, handle	Polyamide




LOCKS


2




Cut out




TYPE OF CYLINDER	CATALOGUE NUMBER		THE RANGE OF CAM	
	RAL 9005	Chrome	H2	H1
Without cylinder	2.613.00.110	2.613.00.130	6-16	56-66
	2.613.00.210	2.613.00.230	16-26	46-56
	2.613.00.310	2.613.00.330	26-36	56-46
Patent key	2.613.10.110	2.613.10.130	6-16	56-66
	2.613.10.210	2.613.10.230	16-26	46-56
	2.613.10.310	2.613.10.330	26-36	56-46
Screwdriver	2.613.11.110	2.613.11.130	6-16	56-66
	2.613.11.210	2.613.11.230	16-26	46-56
	2.613.11.310	2.613.11.330	26-36	56-46
NAME	COMPONENTS		MATERIAL	
2.613.00.000	Housing, handle		ZAMAK5	
	Cam		Steel zinc plated	



TYPE OF LOCK	CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
With cylinder	2.615.146.10	RAL 9005	Housing	ZAMAK 5
Without cylinder	2.615.346.10			
With cylinder	2.615.146.30	Chrome	Housing	ZAMAK 5
Without cylinder	2.615.346.30			



TYPE OF LOCK	CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
With cylinder	2.615.124.10	RAL 9005	Housing	ZAMAK 5
Without cylinder	2.615.324.10			
With cylinder	2.615.124.30	Chrome	Housing	ZAMAK 5
Without cylinder	2.615.324.30			




Cut out

Closing snap :

- 5.509.001A dedicated to sheet thickness 1,2 mm-1,6 mm
- 5.509.001B dedicated to sheet thickness 1,75 mm-2,2 mm

CATALOGUE NUMBER	DIMENSION [H]	COMPONENTS	MATERIAL
2.509.001A	1,8	Housing	Polyamide
2.509.001B	2,5	Housing	Polyamide




Cut out

Closing snap:





- 5.509.002 dedicated to sheet thickness 1 mm - 1,5 mm

CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.509.002	-	Housing	Polyamide






For sheets: 0.8 - 1.6 mm $L = 37.3 + 0.9 \text{ mm}$
 For sheets: 1.7 - 2.0 mm $L = 38.7 + 0.2 \text{ mm}$

CATALOGUE NUMBER	COMPONENTS	MATERIAL	COLOUR
2.509.003	Housing, sliding portion	Polyamide	9005



Cut out



CAT. NUMBER	FINISH	COMPONENTS	MATERIAL
2.511.001	RAL 9005	Housing	Steel zinc plated
		Gasket	Elastomer
2.511.001SN	-	Housing	Stainless steel
		Gasket	Elastomer




LOCKS

2



CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.610.001	RAL 9005	Housing	Steel zinc plated
		Gasket	Elastomer




CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.610.002	RAL 9005	Housing	Stainless steel
		Gasket	Elastomer




Cut out




CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.510.001	RAL 9005	Housing	Steel zinc plated
		Gasket	Elastomer




CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.510.003	RAL 9005	Housing	Steel zinc plated
		Gasket	Elastomer




Cut out



CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.510.002	RAL 9005	Housing	Stell zinc plated
		Gasket	Elastomer






CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.510.005	-	Housing	Stainless steel
		Gasket	Elastomer





Cut out


NR	Dimension [mm]			
	A	B	C	D
2.510.002	90	95	98	120
2.510.005	80	98,5	103	113,5




CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.504.001	Housing, insert	Stainless steel
	Spring	





CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.504.002	Housing, insert	Stainless steel
	Spring	









CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.521.001	Housing, Insert, Cam	Steel zinc plated
2.521.004	Housing, Insert, Cam	Stainless steel



CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.505.001	The base of the cam	Steel zinc plated
	The hook cam	Steel zinc plated
	The spring of the lock	Stainless steel



CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.503.002	Insert , holdfast	Steel zinc plated



INSERT		
KW8-14	KW8-8	T8-9

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.520.001	Housing, insert	Steel zinc plated
	Cam	Steel zinc plated
2.520.001SN	Housing, insert	Stainless steel
	Cam	



How to order :

Type of lock or catalogue number

Type of insert

Height cam H


ZZ1 — T8 — 9





LOCKS

2


CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.501.001	Housing , cam	Steel zinc plated/ Polyamide
2.501.001SN	Housing , cam	Stainless steel/ Polyamide





CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.501.003	Housing , cam	Steel zinc plated/ Polyamide
2.501.003SN	Housing , cam	Stainless steel/ Polyamide




CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.512.001	Housing , Cam	Steel zinc plated/ Poyamide
2.512.001SN	Housing , Cam	Stainless Steel/ Polyamide



CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.512.002	Housing , Cam	Steel zinc plated/ Polyamide
2.512.002SN	Housing , Cam	Stainless Steel/ Polyamide




CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.502.001	Housing , Cam	Steel zinc plated/ Polyamide
2.502.001SN	Housing , Cam	Stainless Steel/ Polyamide




LOCKS

2







Locking flap




Locking flap handle

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.700.001	Locking flap	Stainless steel AISI 316L
	Locking flap handle	Stainless steel AISI 304



Cover 2.904.005
Cover 2.904.006

Cover 2.904.007
Cover 2.904.008


CATALOGUE NUMBER	TYPE OF LOCK	COLOUR	MATERIAL
2.904.005	M22	RAL9005	TPE
2.904.006	M24		
2.904.007	M19		
2.904.008	M16		


* colour 7035 available on special request




CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.904.001-004	RAL9005 RAL7035	Cover	Polyamide






CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.905.001	RAL9005 RAL7035	Handle	Polyamide
2.905.002			




CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.907.002	Locking washer	Steel zinc plated
2.907.002SN	Locking washer	Stainless steel



CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.911.001	Locking washer	Steel zinc plated
2.911.001SN	Locking washer	Stainless steel






Blockade 2.904.001




Blockade 2.905.002

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.902.001	Rate, flape	Steel zinc plated
2.902.001SN	Rate, flape	Stainless steel
2.902.002	Rate, flape	Steel zinc plated
2.902.002SN	Rate, flape	Stainless steel





Blockade 2.904.001



Blockade 2.905.002


CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.904.101	Rate, flape	Steel zinc plated
2.904.101SN	Rate, flape	Stainless steel
2.905.102	Rate, flape	Steel zinc plated
2.905.102SN	Rate, flape	Stainless steel




LOCKS

2

CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.901.001	Rate, flap	Steel zinc plated
2.901.001SN	Rate, flap	Stainless steel





CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.901.002	Rate, flap	Steel zinc plated
2.901.002SN	Rate, flap	Stainless steel




CATALOGUE NUMBER	COMPONENTS	MATERIAL
2.903.001	Rate, flap	Steel zinc plated
2.903.001SN	Rate, flap	Stainless steel
2.903.001AL	Rate, flap	Aluminum

NEW



Note: Blockade the lock adapted to lock M22

CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.906.001	RAL9005 Chrome	Base, holder	ZAMAK5
2.906.002	Chrome	Base, holder	ZAMAK5



CATALOGUE NUMBER	FINISH	COMPONENTS	MATERIAL
2.907.001	RAL9005 Chrome	Base	ZAMAK5
		Holder	Steel zinc plated
2.907.001SN	RAL9005 Chrome	Base	ZAMAK5
		Holder	Steel zinc plated